An efficient and simple refined theory for bending and vibration of functionally graded plates

Author(s):

Fares, ME (Fares, M. E.)[1] E-mail: me_fares@yahoo.com Elmarghany, MK (Elmarghany, M. Kh.)[1] Atta, D (Atta, Doaa)[1] [1] Mansoura Univ, Fac Sci, Dept Math, Mansoura 35516, Egypt

Abstract:

A two-dimensional theory of functionally graded plates is presented using a mixed variational approach. The theory accounts for a displacements field in which the inplane displacements vary linearly through the plate thickness, while the out-of-plane displacement is a second-degree function of thickness coordinate. The advantages of the present theory are that it contains both the transverse normal strain and stress in complete consistence with the boundary conditions at the top and bottom surfaces of the plates without loss of its simplicity. Therefore, the rationale for the shear correction factor used in such theories is obviated. The bending and free vibration problems of isotropic plates with material properties varying in the thickness direction are solved. Numerical results for frequencies are presented for two-phase graded material with a power-law through the plate thickness variation of the volume fractions of the constituents based on Mori-Tanaka scheme. In addition, numerical results of transverse deflections are obtained for FG simply supported isotropic plates with Young's modulus varying exponentially through the thickness and constant Poisson's ratio. The validity of the present theory is investigated by comparing some of the present results with their counterparts obtained due to three-dimensional approaches by Qian et al. and by Kashtalyan. The influence of the transverse normal strain on the bending and vibration of the FG plates is illustrated. (C) 2009 Elsevier Ltd. All rights reserved ...

KeyWords: Functionally graded plates; Two-dimensional formulation; Bending and vibration

Published in : COMPOSITE STRUCTURES Volume: 91 Issue: 3 Pages: 296-305 DOI: 10.1016/j.compstruct.2009.05.008 Published: DEC 2009

References:

- Yamanouchi M, Koizumi M, Hirai T, Shiota I. In: Proceeding of the first international symposium on functionally gradient materials, Sendai, Japan; 1990.
- o [2]
- M. Koizumi
- The concept of FGM
- Ceram Trans Funct Grad Mater, 34 (1993), pp. 3–10
- o [3]
- Y. Tanigawa
- Some basic thermoelastic problems for nonhomogeneous structural materials
- Appl Math Mech, 48 (6) (1995), pp. 287–300
- o [4]
- o J.N. Reddy
- Analysis of functionally graded plates
- o Int J Numer Meth Eng, 47 (2000), pp. 663–684

- o [5]
- o Z.Q. Cheng, R.C. Batra
- Deflection relationships between the homogeneous Kirchhoff plate theory and different functionally graded plate theories
- o Arch Mech, 52 (2000), pp. 143–158
- o [6]
- Z.Q. Cheng, R.C. Batra
- Exact correspondence between eigenvalues of membranes and functionally graded simply supported polygonal plates
- o J Sound Vib, 229 (2000), pp. 879–895
- o [7]
- o C.T. Loy, K.Y. Lam, J.N. Reddy
- o Variation of functionally graded cylindrical shells
- Int J Mech Sci, 41 (1999), pp. 309–324
- o [8]
- o L.F. Qian, R.C. Batra, L.M. Chen
- Free and forced vibrations of thick rectangular plates by using higher-order shear and normal deformable plate theory and meshless local Petrov–Galerkin (MLPG)
- Comput Model Eng Sci, 4 (2003), pp. 519–534
- o [9]
- o L.F. Qian, R.C. Batra, L.M. Chen
- Elastostatic deformations of thick plate by using higher-order shear and normal deformable plate theory and two meshless local Petrov–Galerkin (MLPG) methods
- o Comput Model Eng Sci, 4 (2003), pp. 161–176
- o [10]
- o R.C. Batra, S. Vidoli, S. Vestroni
- Plane waves and modal analysis in higher-order shear and normal deformable plate theories
- J Sound Vib, 257 (2002), pp. 63–88
- o [11]
- S.S. Vel, R.C. Batra
- Three-dimensional exact solution for the vibration of functionally graded rectangular plate
- o J Sound Vib, 272 (2004), pp. 703–730
- o [12]
- o J.N. Reddy
- Mechanics of laminated composite plates
- CRC Press, New York (1997)
- o [13]
- o A.J.M. Ferreira, R.C. Batra, C.M.C. Roque, L.F. Qian, P.A.L.S. Martins
- Static analysis of functionally graded plates using third-order shear deformation theory and a meshless method
- o Compos Struct, 69 (2005), pp. 449–457
- o [14]
- E. Carrera, S. Brischetto, A. Robaldo
- Variable kinematic model for the analysis of functionally graded material plates
- AIAA J, 46 (2008), pp. 194–203
- o [15]
- Lucia Della Croce, Paolo Venini

- Finite elements for functionally graded Reissner-Mindlin plates
- Comput Methods Appl Mech Eng, 193 (2004), pp. 705–725
- o [16]
- o Trung-Kien Nguyen, Karam Sab, Guy Bannet
- First-order shear deformation plate models for functionally graded materials
- Compos Struct, 83 (2008), pp. 25–36
- o [17]
- o Hiroyuki Matsunaga
- Free vibration and stability of functionally graded plates according to a 2-D higher-order deformation theory
- o Compos Struct, 82 (2008), pp. 475–636
- o [18]
- o S.A.M. GhannadPour, M.M. Alinia
- o Large deflection behavior of functionally graded plates under pressure loads
- Compos Struct, 75 (2006), pp. 67–71
- o [19]
- S. Srinivas, C.V. Joga Rao, A.K. Rao
- An exact analysis for vibration of simply supported homogeneous and laminated thick rectangular plates
- o J Sound Vib, 12 (1970), pp. 187–199
- o [20]
- o T.G. Rogers, P. Watson, A.J.M. Spencer
- Exact three-dimensional elasticity solutions for bending of moderately thick inhomogeneous and laminated strips under normal pressure
- o J Solids Struct, 32 (1995), pp. 1659–1673
- o [21]
- o A.M. Main, A.J.M. Spencer
- Exact solutions for functionally graded and laminated elastic materials
- J Mech Phys Solids, 46 (12) (1998), pp. 2283–2295
- o [22]
- o J.N. Reddy, Z.Q. Cheng
- Three-dimensional thermomechanical deformations of functionally graded rectangular plates
- Eur J Mech Solids, 20 (5) (2001), pp. 841–855
- o [23]
- J. Woo, S.A. Meguid
- o Nonlinear analysis of functionally graded plates and shallow shells
- Int J Solids Struct, 38 (42–43) (2001), pp. 7409–7421
- o [24]
- o I.Y. Khoma
- Integration of the equilibrium equations for inhomogeneous transversely isotropic plates
- o Int Appl Mech, 38 (11) (2002), pp. 1371–1380
- o [25]
- R.C. Batra, S.S. Vel
- Exact solution for thermoelastic deformations of functionally graded thick rectangular plates
- o AIAA J, 40 (7) (2001), pp. 1421–1433
- o [26]
- o H. Tsukamoto

- Analytical method of inelastic thermal stresses in a functionally graded material plate by a combination of a micro-and macromechanical approaches
- o Compos Part B, 34 (6) (2003), pp. 561–568
- o [27]
- o M. Kashtalyan
- Three-dimensional elasticity solution for bending of functionally graded rectangular plates
- Eur J Mech A/Solids, 23 (2004), pp. 853–864

[28] V.P. Plevako

- The theory of elasticity of inhomogeneous media
- J Appl Math Mech, 35 (5) (1971), pp. 806–813

[29]Z.Q. Chen, R.C. Batra

- Three-dimensional thermoelastic deformations of a functionally graded elliptic plate
- o Compos Part B, 31 (1) (2000), pp. 97–106
- o <u>[30]</u>
- $\circ \quad H.S. \ Shen$
- Nonlinear bending response of functionally graded plates subjected to transverse loads and in thermal environments
- o Int J Mech Sci, 44 (3) (2002), pp. 561–584
- o [<u>31</u>]
- J. Yang, H.S. Shen
- Nonlinear bending analysis of shear deformable functionally graded plates subjected to thermo-mechanical loads under various boundary conditions
- o Compos Part B Eng, 34 (2) (2003), pp. 103–115
- o <u>[32]</u>
- o M.E. Fares
- Mixed variational formulation in geometrically non-linear elasticity and a generalized *n*th-order beam theory
- o Int J Non-linear Mech, 34 (3) (1999), pp. 685–691
- o [33]
- M.E. Fares, M.Kh. Elmarghany
- A refined zigzag nonlinear first-order shear deformation theory of composite laminated plates
- o Compos Struct, 82 (1) (2008), pp. 71-83
- o <u>[34]</u>
- o L.F. Qian, R.C. Batra, L.M. Chen
- Static and dynamic deformations of thick functionally graded elastic plate by using higher-order shear and normal deformable plates and meshless local Petrov– Glaerkin method
- o Compos Part B, 35 (2004), pp. 685–697
- o <u>[35]</u>
- o T. Mori, K. Tanaka
- Average stress in matrix and average elastic energy of materials with misfitting inclusions
- o Acta Metall, 21 (1973), pp. 571–574

A refined zigzag nonlinear first-order shear deformation theory of composite laminated plates

Author(s):

Fares, ME (Fares, M. E.)[1] E-mail: me_fares@yahoo.com Elmarghany, MK (Elmarghany, M. Kh.)[1]

[1] Mansoura Univ, Fac Sci, Dept Math, Mansoura 35516, Egypt

Abstract:

A refined nonlinear zigzag shear deformation theory of composite laminated plates is presented using a modified mixed variational formulation. The theory accounts for continuous piecewise layer-by-layer linear variation approximation in the thickness direction for the displacements. Moreover, it includes piecewise stress distributions satisfying the continuity conditions at the layer interfaces and the surface conditions. The advantages of this theory are that it recovers the interlaminar stresses, and does not need any shear correction factor used in other first-order theories. To assess this theory, the bending problems of symmetric and antisymmetric cross-ply laminated plates are solved. Some numerical results for the deflection and stresses are compared with their counterparts in the literature obtained due to three-dmiensional elasticity solution and higher-order laminate theories. It is found that the present theory predicts the local and global responses of the laminated plates with excellent accuracy. (c) 2006 Elsevier Ltd. All rights reserved.

KeyWords: zigzag piecewise displacements; continuity conditions for the shear stresses; first-order theory; composite laminated plates; mixed variational formulation **Published in** : COMPOSITE STRUCTURES Volume: 82 Issue: 1 Pages: 71-83 DOI: 10.1016/j.compstruct.2006.12.007 Published: JAN 2008

References:

[1] L. Librescu, J.N. Reddy

- A few remarks concerning several refined theories of anisotropic composite laminated plates
- Int J Eng Sci, 27 (5) (1989), pp. 515–527
- o [2]
- J.N. Reddy
- On the generalization of displacement-based laminate theories
- Appl Mech Rev, 42 (11) (1989), pp. 213–222
- o [<u>3</u>]
- M.E. Fares
- A refined equivalent single layer model of geometrically non-linear doubly curved layered shells using mixed variational approach
- o Int J Non-linear Mech, 36 (2000), pp. 117–124
- o [4]
- J.N. Reddy
- On refined theories of composite laminates
- Mecanica, 25 (1990), pp. 230–238
- o [5]
- M.E. Fares
- Generalized non-linear thermoelasticity for composite laminated structures using a mixed variational approach
- o Int J Non-linear Mech, 35 (2000), pp. 439–446

Non-linear design and control optimization of composite laminated plates with buckling and postbuckling objectives

Author(s):

Fares, ME (Fares, M. E.) E-mail: me_fares@yahoo.com Youssif, YG (Youssif, Y. G.)

Elshoraky, AE (Elshoraky, A. E.)

[1] Mansoura Univ, Fac Sci, Dept Math, Mansoura 35516, Egypt

Abstract:

Multiobjective design and control optimization of composite laminated plates is presented to minimize the postbuckling dynamic response and maximize the buckling load. The control objective aims at dissipating the postbuckling elastic energy of the laminate with the minimum possible expenditure of control energy using a closedloop distributed force. The layer thicknesses and fiber orientations are taken as design variables. The objectives of the optimization problem are formulated based on a shear deformation theory including the von-Karman non-linear effect for various cases of boundary conditions. The non-linear control problem is solved iteratively until an appropriate convergence criterion is satisfied based on Liapunov-Bellman theory. Liapunov function is taken as a sum of positive definite functions with different degrees. Comparative examples for three-layer symmetric and four-layer antisymmetric laminates are given for various cases of edges conditions. Graphical study is carried out to assess the accuracy of results obtained due to the successive iterations. The influences of the boundary conditions, orthotropy ratio, shear deformation, aspect ratio on the laminate optimal design are elucidated. (C) 2006 Elsevier Ltd. All rights reserved

KeyWords: structural design and control; composite laminates; buckling and postbuckling responses; non-linear analysis; shear deformation theory; various boundary conditions

Published in : INTERNATIONAL JOURNAL OF NON-LINEAR MECHANICS Volume: 41 Issue: 6-7 Pages: 807-824 DOI: 10.1016/j.ijnonlinmec.2006.05.003 Published: JUL-SEP 2006 **References**:

o [1]

- o J.M. Sloss, I.S. Sadek, J.C. Bruch Jr., S. Adali
- Optimal vibration control of laminated cross-ply cylindrical panels
- Math. Eng. Ind., 2 (3) (1989), pp. 169–188
- o [2]
- o J.N. Yang, T.T. Soong
- Recent advances in active control of civil engineering structures
- o J. Probab. Eng. Mech., 3 (1988), pp. 179–188
- o [3]
- R.S. Esfandiari, J.M. Sloss, J.C. Bruch Jr.
- Passive optimal control of an antisymmetric angle-ply laminate
- J. Optim. Theory Appl., 66 (2) (1990), pp. 227–242
- o **[4]**
- o R.K. Miller, S.F. Marsi, T.J. Dehganyer, T.K. Caughey
- Active vibration control of large civil structures
- o ASCE J. Eng. Mech., 114 (1988), pp. 1542–1570
- o [5]

- Y.S. Lee, Y.W. Lee, M.S. Yang, B.S. Park
- Optimal design of thick laminated composite plates for maximum thermal buckling load
- o J. Therm. Stresses, 22 (3) (1999), pp. 259–273
- o <u>[6]</u>
- o C.W. Kim, W. Hwang, H.C. Park, K.S. Han
- Stacking sequence optimization of laminated plates
- o Compos. Struct., 39 (2003), pp. 267–278
- o [7]
- S. Adali, J.C. Bruch Jr., I.S. Sadek, J.M. Sloss
- Simultaneous design/control optimization of symmetric cross-ply laminates hybrid construction
- Eng. Optim., 17 (1991), pp. 123–140
- o <u>[8]</u>
- o S. Adali, A. Richter, V.E. Verijenko
- Optimization of shear-deformable laminated plates under buckling and strength criteria
- o Compos. Struct., 39 (3-4) (1997), pp. 167-178
- o [9]
- o J.C. Bruch Jr., J.M. Sloss, S. Adali, I.S. Sadek
- Optimal design and control of cross-ply laminate for maximum frequency and minimum dynamic response
- o Comput. Struct., 37 (1990), pp. 87–94
- o **[10]**
- o M.E. Fares, Y.G. Youssif, A.E. Alamir
- Optimal design and control of composite laminated plates with various boundary conditions using various plate theories
- Compos. Struct., 56 (2002), pp. 1–12
- o [11]
- o M.E. Fares, Y.G. Youssif, A.E. Alamir
- Minimization of the dynamic response of composite laminated doubly curved shells using design and control optimization
- o Compos. Struct., 59 (2003), pp. 369–383
- o [12]
- o M.E. Fares, Y.G. Youssif, A.E. Alamir
- Design and control optimization of composite laminated truncated conical shells for minimum dynamic response including transverse shear deformation
- o Compos. Struct., 64 (2004), pp. 139–150
- o [13]
- \circ J.C. Frauenthal
- o Initial postbuckling behaviour of optimally designed columns and plates
- o Int. J. Solids Struct., 9 (1973), pp. 115–127
- o [14]
- M.D. Pandey, A.N. Sherbourne
- o Postbuckling behaviour of optimized rectangular composite laminates
- o Compos. Struct., 23 (1993), pp. 27–38
- o [15]
- o S. Adali, M. Walker, V.E. Verijenko
- Multiobjective optimization of laminated plates for maximum prebuckling, buckling and postbuckling strength using continuous and discrete ply angles

- o Compos. Struct., 35 (1996), pp. 117–130
- o **[16]**
- M.E. Fares, Y.G. Youssif, M.A. Hafiz
- Optimization Control of composite laminates for maximum thermal buckling and minimum vibrational response
- o J. Therm. Stresses, 25 (11) (2002), pp. 1047–1064
- o [17]
- M.E. Fares, Y.G. Youssif, M.A. Hafiz
- Structural and control optimization for maximum thermal buckling and minimum dynamic response of composite laminated plates
- o Int. J. Solids Struct., 41 (3-4) (2003), pp. 1005-1019
- o [18]
- o G. Srikanth, Ashwini Kumar
- Postbuckling response and failure of symmetric laminates under uniform temperature rise
- o Compos. Struct., 59 (1) (2003), pp. 109–118
- o [19]
- o I.S. Sadek, J.M. Sloss, S. Adali, J.C. Bruch Jr.
- Integrated design and control of laminated hybrid plates with dynamic response and buckling objectives
- o J. Sound Vib., 163 (1) (1993), pp. 57-66
- o [20]
- K.K. Shukla, Y. Nath
- Analytical solution for buckling and post-buckling of angle-ply laminated plates under thermomechanical loading
- o Int. J. Non-Linear Mech., 36 (2001), pp. 1097–1108
- o [21]
- o G.J. Turvey, I.H. Marshall
- Buckling and Postbuckling of Composite Plates
- Chapman & Hall, London (1995)
- o [22]
- o J. Song, T.J. Pence
- On the design of three-ply nonlinearly elastic composite plates with optimal resistance to buckling, Struct. Optim., 5 (1992), pp. 45–54
- o [23]
- C.A. Conceicfl'ao Ant onio
- Optimisation of geometrically non-linear composite structures based on loaddisplacement control
- o Compos. Struct., 46 (1999), pp. 345–356
- o [24]
- Y.G. Youssif, M.E. Fares, M.A. Hafiz
- Optimal control of the dynamic response of anisotropic plate with various boundary conditions
- o Mech. Res. Commun., 28 (5) (2001), pp. 525–534
- o [25]
- o J.N. Reddy
- o Mechanics of Composite Materials and Structures, Theory and Analysis
- CRC Press, Boca Raton, FL (1997)
- o [26]
- o R. Bellman

- Dynamic Programming
- Princeton University Press, Princeton, NJ (1957)
- o <u>[27]</u>
- H. Benaroya
- Mechanical Vibration Analysis, Uncertainties and Control
- Prentice-Hall, Englewood Cliffs, NJ (1998)
- o [28]
- M.L. Krasnov, G.I. Makarenko, A.I. Kiselev
- Problems and Exercises in the Calculus of Variations
- Mir Publishers, Moscow (1984)

THE MOTION OF A SYMMETRIC GYROSTAT AROUND THE CENTER OF MASS IN A CIRCULAR ORBIT IN THE PRESENCE OF VISCOELASTIC BARS AND DISC

Author(s):

Fares, ME (Fares, M. E.)^[1]

E-mail: me_fares@yahoo.com

El-Hafiez, SA (El-Hafiez, S. A.)^[1]

[1] Mansoura Univ, Fac Sci, Dept Math, Mansoura 35516, Egypt

Abstract:

In the present work we consider a symmetric gyrostat which has a homogeneous viscoelastic disc and two bars attached to it. Furthermore, the gyrostat has a rotor oriented inside it such that the rotor is statically and dynamically balanced. This sytem has a rotational motion around its center of mass in a circular orbit under a central gravitational field. Bending vibrations of the bars and the disc are accompanied by dissipation of energy, which is the cause of the evolution of the system's rotational motion. Using the method of separation of motion and averaging, the approximate equations describing the evolution of rotational motion in terms of Andoyer canonical variables are obtained. The stationary motions for the system are deduced, together with the conditions of its stability.

KeyWords: Attitude of satellites; viscoelastic bars and disc; stability of motion **Published in** : CELESTIAL MECHANICS & DYNAMICAL

ASTRONOMY Volume: 51 Issue: 2 Pages: 107-118 DOI: 10.1007/BF00048604 Published: JUN 1991

References:

- 1. Archangliski, U.A.: 1977, *The Analytical Dynamics of Rigid Bodies*, Moscow, Nauka
- 2. Bolotina, N.E. and Vilke, V.G.: 1984, 'The motion of a symmetric satellite around the center of mass on the circular orbit in the presence of flexible viscoelastic bars', *Cosmic Researches* **XII**, (1)
- 3. Elushin, A.A. and Pabedrya, B.E.: 1970, *The Fundamental Theory of Viscoelasticity*, Moscow, Nauka
- 4. Gantmacher, F.: 1970, *Lectures in Analytical Mechanics*, MIR Publishers, Moscow
- 5. Vilke, VG.: 1983, 'The method of separation of motion and averaging in mechanics of the systems with infinite numbers of degrees of freedom', *Bulletin of Moscow Univ., Ser. 1 Math and Mech.*, 5 pp.