

Some inclusion relationships and integral-preserving properties of certain subclasses of p -valent meromorphic functions associated with a family of linear operator

Author(s):

Aouf, MK (Aouf, M. K.)^[1]
Shamandy, A (Shamandy, A.)^[1]
Mostafa, AO (Mostafa, A. O.)^[1]
El-Emam, F (El-Emam, F.)^[1]

E-mail Address: mkaouf127@yahoo.com; shamandy16@hotmail.com;

adelaeg254@yahoo.com; fatma_elemam@yahoo.com

[1] Mansoura Univ, Fac Sci, Dept Math, Mansoura 35516, Egypt

Abstract

By making use of a general linear operator we introduce several new subclasses of multivalent meromorphic functions and investigate various inclusion relationships. Several interesting integral-preversing properties are also discussed.

KeyWords: Analytic function; Liu-Owa operator; Hadamard product; Differential subordination; Superordination. p -valent meromorphic functions; Hadamard product; linear operator; integral-preserving properties; inclusion relationships.

Published in : MATHEMATICA SLOVACA Volume: 62 Issue: 3 Pages: 487-500
DOI: 10.2478/s12175-012-0025-x Published: JUN 2012.

References:

1. AGHALARY, R.: *Some properties of a certain family of meromorphically univalent functions defined by integral operator*, Kyungpook Math. J. **48** (2008), 379–385.
2. AOUF, M. K.: *New criteria for multivalent meromorphic starlike function of order alpha*, Proc. Japan Acad. Ser. A Math. Sci. **69** (1993), 66–70.
3. AOUF, M. K.— SHAMANDY, A.— MOSTAFA, A. O.— EL-EMAM, F. Z.: *Argument estimates of certain meromorphically p -valent functions associated with a family of linear operator*, Math. Slovaca (To appear).
4. CHO, N. E.— NOOR, K. I.: *Inclusion properties for certain classes of meromorphic functions associated with the Choi-Saigo-Srivastava operator*, J. Math. Anal. Appl. **320** (2006), 779–786.
5. JACK, I. S.: *Functions starlike and convex of order α* , J. London Math. Soc. (2) **3** (1971), 469–474.
6. KUMAR, V.— SHUKLA, S. L.: *Certain integrals for classes of p -valent meromorphic functions*, Bull. Austral. Math. Soc. **25** (1982), 85–97.
7. LIU, J.-L.— SRIVASTAVA, H. M.: *A linear operator and associated families of meromorphically multivalent functions*, J. Math. Anal. Appl. **259** (2001), 566–581.
8. MILLER, S. S.— MOCANU, P. T.: *Second-order differential inequalities in the complex plane*, J. Math. Anal. Appl. **65** (1978), 289–305.
9. URALEGADDI, B. A.— SOMANATHA, C.: *Certain classes of meromorphic multivalent functions*, Tamkang J. Math. **23** (1992), 223–231.
10. YANG, D.: *On a class of meromorphic starlike multivalent functions*, Bull. Inst. Math. Acad. Sinica **24** (1996), 151–157.
11. YUAN, S.-M.— LIU, Z.-M.— SRIVASTAVA, H. M.: *Some inclusion relationships and integral-preserving properties of certain subclasses of meromorphic functions associated with a family of integral operators*, J. Math. Anal. Appl. **337** (2008), 505–515.

ARGUMENT ESTIMATES OF CERTAIN MEROMORPHICALLY P-VALENT FUNCTIONS ASSOCIATED WITH A FAMILY OF LINEAR OPERATOR

Author(s):

Aouf, MK (Aouf, M. K.)^[1]
Shamandy, A (Shamandy, A.)^[1]
Mostafa, AO (Mostafa, A. O.)^[1]
El-Emam, F (El-Emam, F.)^[1]

E-mail Address: mkaouf127@yahoo.com; shamandy16@hotmail.com;
adelaeg254@yahoo.com; fatma_elemaam@yahoo.com

[1] Mansoura Univ, Fac Sci, Dept Math, Mansoura 35516, Egypt

Abstract

Making use of linear operator we investigate some inclusion relationships and some argument properties of certain meromorphically p-valent functions. (C) 2011 Mathematical Institute Slovak Academy of Sciences.

KeyWords: meromorphically multivalent functions; Hadamard product; linear operator; argument estimates

Published in : MATHEMATICA SLOVACA Volume: 61 Issue: 6 Pages: 907-920

DOI: 10.2478/s12175-011-0057-7 Published: DEC 2011

References:

1. AGHALARY, R.: *Some properties of a certain family of meromorphically univalent functions defined by integral operator*, Kyungpook Math. J. **48** (2008), 379–385.
2. AOUF, M. K.: *New criteria for multivalent meromorphic starlike function of order alpha*, Proc. Japan Acad. Ser. A Math. Sci. **69** (1993), 66–70.
3. BULBOACA, T.: *Differential Subordinations and Superordinations, Recent Results*, House of Scientific Book Publ., Cluj-Napoca, 2005.
4. CHO, N. E. NOOR, K. I.: *Inclusion properties for certain classes of meromorphic functions associated with the Choi-Saigo-Srivastava operator*, J. Math. Anal. Appl. **320** (2006), 779–786.
5. EENIGENBERG, P. MILLER, S. S. MOCANU, P. T. READE, M. O.: *On a Briot-Bouquet differential subordination*, Gen. Inequal. **3** (1983), 339–348.
6. KUMAR, V. SHUKLA, S. L.: *Certain integrals for classes of p-valent meromorphic functions*, Bull. Austral. Math. Soc. **25** (1982), 85–97.
7. LASHIN, A. Y.: *Argument estimates of certain meromorphically p-valent functions*, Soochow J. Math. **33** (2007), 803–812.
8. LIU, J. -L. SRIVASTAVA, H. M.: *A linear operator and associated families of meromorphically multivalent functions*, J. Math. Anal. Appl. **259** (2001), 566–581.
9. MILLER, S. S. MOCANU, P. T.: *Differential subordinations and univalent functions*, Michigan Math. J. **28** (1981), 157–171.
10. NUNOKAWA, M.: *On the order of strongly starlikeness of strongly convex functions*, Proc. Japan Acad. Ser. A Math. Sci. **69** (1993), 234–237.
11. SILVERMAN, H. SILVIA, E. M.: *Subclasses of starlike functions subordinate to convex functions*, Canad. J. Math. **37** (1985), 48–61.
12. URALEGADDI, B. A. SOMANATHA, C.: *Certain classes of meromorphic multivalent functions*, Tamkang J. Math. **23** (1992), 223–231.
13. YANG, D.: *On a class of meromorphic starlike multivalent functions*, Bull. Inst. Math. Acad. Sinica **24** (1996), 151–157.

14. YUAN, S. -M. LIU, Z. -M. SRIVASTAVA, H. M.: *Some inclusion relationships and integral-preserving properties of certain subclasses of meromorphic functions associated with a family of integral operators*, J. Math. Anal. Appl. **337** (2008), 505–515.

ON CERTAIN CLASSES OF MEROMORPHICALLY p-VALENT CONVEX FUNCTIONS

Author(s):

Aouf, MK (Aouf, M. K.)^[1]
 Shamandy, A (Shamandy, A.)^[1]
 Mostafa, AO (Mostafa, A. O.)^[1]
 El-Emam, F (El-Emam, F.)^[1]
 Madian, SM (Madian, S. M.)^[1]

E-mail Address: mkaouf127@yahoo.com; shamandy16@hotmail.com;
 adelaeg254@yahoo.com; fatma_elemaam@yahoo.com

[1] Mansoura Univ, Fac Sci, Dept Math, Mansoura 35516, Egypt

Abstract

Making use of a differential operator, which is defined here by means of the Hadamard product (or convolution), we introduce the class Sigma(n)(p)(alpha(1), beta(1); lambda) of meromorphically p-valent convex functions. The main object of this paper is to investigate various important properties and characteristics for this class. Further, a property preserving integrals is considered.

KeyWords: p-Valent; Hadamard product; Meromorphic; Convex; Jack's lemma

Published in : HACETTEPE JOURNAL OF MATHEMATICS AND STATISTICS Volume: 40 Issue: 3 Pages: 359-365 Published: JUN 2011

References:

- 1- Author(s): Aouf, M. K.; Srivastava, M. H.
 Source: Mathematical Sciences Research Hot-Line Volume: 1 Issue: 8 Pages: 7-12
 Published: 1997
- 2- Author(s): AOUF, MK
 Source: PROCEEDINGS OF THE JAPAN ACADEMY SERIES A-MATHEMATICAL SCIENCES Volume: 69 Issue: 3 Pages: 66-70 Published: MAR 1993
- 3- Author(s): Aouf, M. K.; Hossen, H. M.
 Source: Tsukuba Journal of Mathematics Volume: 17 Issue: 2 Pages: 481-486
 Published: 1993
- 4- Source: COMPUTERS & MATHEMATICS WITH APPLICATIONS Volume: 58 Issue: 3 Pages: 449-463 DOI: 10.1016/j.camwa.2009.04.013 Published: AUG 2009
- 5- Source: COMPUTERS & MATHEMATICS WITH APPLICATIONS Volume: 55 Issue: 3 Pages: 494-509 DOI: 10.1016/j.camwa.2007.05.005 Published: FEB 2008
- 6- Author(s): Bajpai, S. K.
 Source: Rev. Roumanie Math. Pure Appl. Volume: 22 Pages: 295-297 Published: 1977
- 7- Author(s): CHO NE
 Source: CURRENT TOPICS ANAL Pages: 86 Published: 1992
- 8- Author(s): CHO, NE; OWA, S

Source: PROCEEDINGS OF THE JAPAN ACADEMY SERIES A-MATHEMATICAL SCIENCES Volume: 68 Issue: 1 Pages: 28-31 Published: JAN 1992
9- Author(s): Dziok, J; Srivastava, HM
Source: APPLIED MATHEMATICS AND COMPUTATION Volume: 103 Issue: 1 Pages: 1-13 DOI: 10.1016/S0096-3003(98)10042-5 Published: AUG 1 1999
10- Author(s): Dziok, J; Srivastava, HM
Source: INTEGRAL TRANSFORMS AND SPECIAL FUNCTIONS Volume: 14 Issue: 1 Pages: 7-18 DOI: 10.1080/10652460290029680 Published: 2003
11- Author(s): Goel, RM; Sohi, NS.
Source: Glasnik Math. III Volume: 17 Issue: 37 Pages: 19-28 Published: 1982
12- Author(s): JACK, IS
Source: JOURNAL OF THE LONDON MATHEMATICAL SOCIETY-SECOND SERIES Volume: 3 Issue: APR Pages: 469-& Published: 1971
13- Author(s): Kulkarni, S. R.; Naik, U. H.; Srivastava, H. M.
Source: Panamerican Mathematical Journal Volume: 8 Issue: 1 Pages: 57-64 Published: 1998
14- Author(s): KUMAR, V; SHUKLA, SL
Source: BULLETIN OF THE AUSTRALIAN MATHEMATICAL SOCIETY Volume: 25 Issue: 1 Pages: 85-97 Abstract Number: B1982-013379; C1982-009299 Published: 1982
15- Author(s): Liu, JL; Srivastava, HM
Source: JOURNAL OF MATHEMATICAL ANALYSIS AND APPLICATIONS Volume: 259 Issue: 2 Pages: 566-581 DOI: 10.1006/jmaa.2000.7430 Published: JUL 15 2001
16- Author(s): Liu, JL; Srivastava, HM
Source: MATHEMATICAL AND COMPUTER MODELLING Volume: 39 Issue: 1 Pages: 21-34 DOI: 10.1016/S0895-7177(03)00391-1 Published: JAN 2004

On sandwich theorems for multivalent functions involving a generalized differential operator

Author(s):

Aouf, MK (Aouf, M. K.)^[1]
Shamandy, A (Shamandy, A)^[1]
Mostafa, AO (Mostafa, A. O.)^[1]
El-Emam, F (El-Emam, F.)^[1]

E-mail Address: mkaouf127@yahoo.com; shamandy16@hotmail.com;

adelaeg254@yahoo.com; fatma_elemam@yahoo.com

[1] Mansoura Univ, Fac Sci, Dept Math, Mansoura 35516, Egypt

Abstract

The purpose of this paper is to derive some subordination and superordination results for multivalent functions involving certain differential operator. (C) 2011 Elsevier Ltd. All rights reserved.

KeyWords: Analytic functions; Multivalent functions; Differential subordination; Differential superordination; Sandwich theorems; Generalized differential operator

Published in : COMPUTERS & MATHEMATICS WITH PPLICATIONS Volume: 61 Issue: 9 Pages: 2578-2587 DOI: 10.1016/j.camwa.2011.02.050 Published: MAY 2011

References:

- [1] T. Bulboacă, Differential Subordinations and Superordinations, Recent Results, House of Scientific Book Publ., Cluj-Napoca, 2005.
- [2] S.S. Miller, P.T. Mocanu, Differential Subordination: Theory and Applications, in: Series on Monographs and Textbooks in Pure and Applied Mathematics, vol. 225, Marcel Dekker Inc., New York and Basel, 2000.
- [3] S.S. Miller, P.T. Mocanu, Subordinates of differential superordinations, Complex Vari. 48 (10) (2003) 815–826.
- [4] T. Bulboacă, Classes of first-order differential subordinations, Demonstratio Math. 35 (2) (2002) 287–392.
- [5] T. Bulboacă, A class of superordination preserving integral operators, Indag. Math. (NS) 13 (3) (2002) 301–311.
- [6] R.M. Ali, V. Ravichandran, M.H. Khan, K.G. Subramanian, Differential sandwich theorems for certain analytic functions, Far East J. Math. Sci.(FJMS) 15 (1) (2004) 87–94.
- [7] T.N. Shanmugan, C. Ramachandran, M. Darus, S. Sivasubramanian, Differential sandwich theorems for some subclasses of analytic functions involving a linear operator, Acta Math. Univ. Comenian. (NS) 74 (2) (2007) 287–294.
- [8] T.N. Shanmugam, V. Ravichandran, S. Sivasubramanian, Differential sandwich theorems for some subclasses of analytic functions, Aust. J. Math. Anal. Appl. 3 (1) (2006) 1–11. Art. 8.
- [9] T.N. Shanmugam, S. Sivasubramanian, H. Silverman, On sandwich theorems for some classes of analytic functions, Int. J. Math. Math. Sci. (2006) 1–13. Article ID 29684.
- [10] C. Selvaraj, K.A. Selvakumaran, On certain classes of multivalent functions involving a generalized differential operator, Bull. Korean Math. Soc. 46 (5) (2009) 905–915.
- [11] M.K. Aouf, A.O. Mostafa, Sandwich theorems for analytic functions defined by convolution, Acta Univ. Apulensis 21 (2010) 7–20.
- [12] R.M. El-Ashwah, M.K. Aouf, Inclusion and neighborhood properties of some analytic p-valent functions, Gen. Math. 18 (2) (2010) 183–194.
- [13] M. Kamali, H. Orhan, On a subclass of certain starlike functions with negative coefficients, Bull. Korean Math. Soc. 41 (1) (2004) 53–71.
- [14] M.K. Aouf, A.O. Mostafa, On a subclass of n-p-valent prestarlike functions, Comput. Math. Appl. 55 (4) (2008) 851–861.
- [15] A. Cătaş, On certain classes of p-valent functions defined by multiplier transformations, in: Proc. Book of the Internat. Symposium on Geomtric Function Theory and Appl., Istanbul, Turkey, August 2007, pp. 241–250.
- [16] S.S. Kumar, H.C. Taneja, V. Ravichandran, Classes of multivalent functions defined by Dziok–Srivastava linear operator and multiplier transformation, Kyungpook Math. J. 46 (2006) 97–109.
- [17] J. Dziok, H.M. Srivastava, Classes of analytic functions associated with the generalized hypergeometric function, Appl. Math. Comput. 103 (1999) 1–13.
- [18] J.-L. Liu, S. Owa, Properties of certain integral operators, Int. J. Math. Math. Sci. 3 (1) (2004) 69–75.
- [19] C. Selvaraj, K.R. Karthikeyan, Differential subordination and superordination for certain subclasses of analytic functions, Far East J. Math. Sci.(FJMS) 29 (2) (2008) 419–430.
- [20] F.M. Al-Oboudi, K.A. Al-Amoudi, On classes of analytic functions related to conic domains, J. Math. Anal. Appl. 339 (2008) 655–667.

- [21] W.C. Royster, On the univalence of a certain integral, Michigan Math. J. 12 (1965) 385–387.
- [22] M. Obradović, M.K. Aouf, S. Owa, On some results for starlike functions of complex order, Publ. Inst. Math. (Beograd) (NS) 46 (60) (1989) 79–85.
- [23] H.M. Srivastava, A.Y. Lashin, Some applications of the Briot-Bouquet differential subordination, J. Inequal. Pure Appl. Math. 6 (2) (2005) 1–7. Art. 41.
- [24] M.K. Aouf, F.M. Al-Oboudi, M.M. Haidan, On some results for λ -spirallike and λ -Robertson functions of complex order, Publ. Inst. Math. (Beograd) (NS) 77 (91) (2005) 93–98.
- [25] M.K. Aouf, T. Bulboacă, Subordination and superordination properties of multivalent functions defined by certain integral operator, J. Franklin. Inst. 347 (2010) 641–653.

Inclusion properties of certain classes of meromorphic functions associated with the Wright generalized hypergeometric function

Author(s):

Aouf, MK (Aouf, M. K.)^[1]
Shamandy, A (Shamandy, A.)^[1]
Mostafa, AO (Mostafa, A. O.)^[1]; et al.

E-mail Address: mkaouf127@yahoo.com; shamandy16@hotmail.com;
[1] Mansoura Univ, Fac Sci, Dept Math, Mansoura 35516, Egypt

Abstract

The purpose of the present paper is to introduce several new classes of meromorphically univalent functions which are defined here by means of a linear operator. Also, we study various inclusion properties of these classes. (C) 2011 Elsevier Ltd. All rights reserved.

KeyWords: Meromorphic functions; Hadamard product; Differential subordination; Wright hypergeometric functions; Integral operator

Published in : COMPUTERS & MATHEMATICS WITH APPLICATIONS Volume: 61 Issue: 5 Pages: 1419–1424 DOI: 10.1016/j.camwa.2011.01.012 Published: MAR 2011

References:

- [1] T. Bulboacă, Differential Subordinations and Superordinations, Recent Results, House of Scientific Book Publ., Cluj-Napoca, 2005.
- [2] S.S. Miller, P.T. Mocanu, Differential subordinations and univalent functions, Michigan Math. J. 28 (1981) 157–171.
- [3] S.S. Miller, P.T. Mocanu, Differential Subordination, Marcel Dekker, Inc., New York, Basel, 2000.
- [4] S.K. Bajpai, A note on a class of meromorphic univalent functions, Rev. Roumaine Math. Pures Appl. 22 (1977) 295–297.
- [5] R.M. Goel, N.S. Sohi, On a class of meromorphic functions, Glas. Mat. Ser. III 17 (37) (1982) 19–28.
- [6] R. Singh, Meromorphic close-to-convex functions, J. Indian Math. Soc. 33 (1969) 13–20.
- [7] H.M. Srivastava, P.W. Karlsson, Multiple Gaussian Hypergeometric Series, Halsted Press, Ellis Horwood Ltd., Chichester, 1985, John Wiley and Sons, New York, Chichester, Brisbane, London.

- [8] E.M. Wright, The asymptotic expansion of the generalized hypergeometric function, *Proc. Lond. Math. Soc.* 46 (1946) 389–408.
- [9] S. Owa, H.M. Srivastava, Univalent and starlike generalized hypergeometric functions, *Canad. J. Math.* 39 (1987) 1057–1077.
- [10] H.M. Srivastava, S. Owa, Some characterizations and distortions theorems involving fractional calculus, generalized hypergeometric functions, Hadamard products, linear operators, and certain subclasses of analytic functions, *Nagoya Math. J.* 106 (1987) 1–28.
- [11] P. Eenigenberg, S.S. Miller, P.T. Mocanu, M.O. Reade, On a Briot–Bouquet differential subordination, *Gen. Inequal.* 3 (1983) 339–348.
- [12] V. Kumar, S.L. Shukla, Certain integrals for classes of p -valent meromorphic functions, *Bull. Aust. Math. Soc.* 25 (1982) 85–97.
- [13] N.E. Cho, I.H. Kim, Inclusion properties of certain classes of meromorphic functions associated with the generalized hypergeometric function, *Appl. Math. Comput.* 187 (2007) 115–121.
- [14] S.-M. Yuan, Z.-M. Liu, H.M. Srivastava, Some inclusion relationships and integral-preserving properties of certain subclasses of meromorphic functions associated with a family of integral operators, *J. Math. Anal. Appl.* 337 (2008) 505–515.